


ALEX
DUETTO

ALEX
DUETTON *plus*



We are glad to present you our


Alex Duetto IV *plus*

with the following new features

-
- 1 New **PID temperature controller** with shot timer integrated: it's possible to choose your favourite coffee brewing time for your espresso



-
- 2 **Inversion of the motor position:** the motor has been installed over the pump.



3 Internal Gicleur in stainless steel


4 Mushroom in stainless steel


Optional:

- Stainless Steel Boilers
- Solenoid valve in stainless steel



5 Pump adjustable from outside: thanks to a hole in the side panel it is possible **to adjust the pump without disassembling** the machine.





- 6 New boilers (optional in stainless steel) with **easy emptying system** through a valve placed in the lower position of the machine.
Coibented boilers for **energy saving**.

- 7 **Easy access to the heating elements** from the lower grid for maintenance: now it's possible change the heating elements without having to disassemble the machine.

- 8 The machine is equipped with **magnets** that allow easy positioning of the drip-dray

- 9 **Automatic water loading.**
The level probe inside the boiler manages plumbing , water level parameters and devices such as:
- the tank sensor is automatically turned off when the machine is plumbed into the main water supply;
 - in the case of failure of the main water system, the machine is automatically turned off.



The **Alex Duetto IV PLUS** keeps a similar external look of the Alex Duetto versions III and IV, except for the following amendments:

- 1) The **cup clearance** has been increased to allow the use of *MUG cups*;
- 2) The height of the **drip-tray** has been reduced;
- 3) The distance between the **steam/hot water wands** and the front panel has been increased through the use of sleeves to avoid scratches on the chassis

COMPARATIVE SHEET	ALEX DUETTO IV	ALEX DUETTO IV PLUS	Difference
Dimensions	36,4 l x 45 p x 41,6 h cm	36,4 l x 45 p x 41,6 h cm	
Cup clearance	12,5 cm	15 cm	+ 2,5 cm
Drip Tray	h 9,05 cm	h 8,05 cm	- 1,5 cm
Feet	4 cm	4 cm	
Weight	36 Kg	33 kg	